Declaration of Performance

No.: 6072ZE-CE179

1. Unique identification code of the product-type: Emergency exit device(s) operated by lever handle
2. Type: 6072ZE
3. Intended use/es: For doors on escape routes
4. Manufacturer: Hebei Jianhua Lock Industry Co.,Ltd.
   Road 3, Development Area, Botou City, Hebei Province, 062155, China
5. Authorized representative: Shandong Hanrui Hardware Co., Ltd.
   Bldg 10-116, No.10 Jingshan Road, Zhifu District, Yantai City, Shandong Province, China
6. System/s of AVCP: AVCP 1
7. Harmonized standard: EN179:2008
   Notified body/ies: Intertek Deutschland GmbH, Stangenstraße 1, 70771 Leinfelden -Echterdingen
   CE Certificates: 0905-CPR-210801-01

8. Declared performance

Essential characteristics	**Grade**	**Performance**	**Harmonized technical specification**
7.1 Category of use	3	High frequency of use where there is little incentive to exercise care	EN179:2008
7.2 Durability	7	200 000 test cycles	
7.3 Door mass	6	Up to 200 kg	
7.4 Suitability for use on fire/smoke doors	B	Suitable for use on fire and smoke door assemblies based on a test in accordance with EN 1634-1	
7.5 Safety	1	All emergency exit devices have a critical safety function	
7.6 Corrosion resistance	4	240 h (very high resistance)	
7.7 Security	5	5 000 N	
7.8 Projection of operating element	2	Projection up to 100 mm (standard projection)	
7.9 Type of operation	A	Emergency exit device with “lever handle” operation	
7.10 Field of door application	B/D	Outwardly opening single exit door / Inwardly opening single exit door	
Dangerous substances	The materials used in the product do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations.		

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Su Wenzeng
Technical Director Date of issue: Jun.02, 2021